

BYD

BYD SEAL

***ELECTRIFIED INGENUITY
INNOVATION MEETS ACCELERATION***



JKCG
— AUTO —
A JOHN KEELLS GROUP COMPANY



\\ Ocean Aesthetics' Design Concept

\\ Boundless One-Piece Through LED Tail Light

\\ 0-100 km/h Acceleration in 3.8s*

\\ Soundproof Double Glazed Glass – Windshield
And Front Door






15.6 Inch Intelligent Rotating Touch Screen Display

Ocean Smart Comfy Cabin

Hifi Customization Dynaudio Sounds

Integrated Sensory Seats






\\ **Silver-Plated Panoramic Glass Roof
With Electric Sunshade**

\\ **NVH Quiet Space**

\\ **9 Airbags**

\\ **Spacious Rear Trunk**






\\ **e-Platform 3.0 & CTB Technology**

\\ **8-In-1 Electric Powertrain**

\\ **Intelligence Torque Adaption Control**

\\ **Double Wishbone & Multi-Link Suspension**



Variant	Standard Range	Extended Range	AWD
	Dynamic	Premium	Performance

Dimensions

Overall Length (mm)	4800		
Overall Width (mm)	1875		
Overall Height (mm)	1460		
Wheel Track - Front / Rear (mm)	1,620/1,625		
Wheelbase (mm)	2920		
Ground Clearance Unladen (mm)	149	149	145
Minimum Turning Radius (m)	5.7	5.7	5.7
Front Trunk Capacity (L)	53	53	53
Rear Trunk Capacity (L)	400	400	400
Kerb Weight (kg)	1922	2055	2185
Gross Vehicle Mass (kg)	2344	2501	2631

Traction Motor

Drivetrain	Rear-Wheel Drive	Rear-Wheel Drive	All-Wheel Drive
Front Motor Type	/	/	Squirrel Cage Induction Asynchronous Motor
Front Motor Maximum Power (kW)	/	/	160
Front Motor Maximum Torque (N-m)	/	/	310
Rear Motor Type	Permanent Magnet Synchronous Motor		
Rear Motor Maximum Power (kW)	100	230	230
Rear Motor Maximum Torque (N-m)	310	360	360
Maximum Power (kW)	100	230	390
Maximum Torque (N-m)	310	360	670

Performance

Acceleration 0-100km/h (s)	10.0	5.9	3.8
Electric Range: NEDC Combined Cycle (km)	510	650	580
Battery Type	BYD Blade Battery		
Battery Capacity (kWh)	61.44	82.56	

Chassis

Front Suspension	Double Wishbone		
Rear Suspension	Multi-Link		
BYD Disus-C	-	-	•
Frequency Selective Damping (FSD) Shock Absorbers	-	Front & Rear	-
Front Brake	Ventilated	Ventilated & Drilled	Ventilated & Drilled
Rear Brake	Ventilated	Ventilated	Ventilated
Front Brake Caliper	Floating	Fixed	Colorful Fixed
Wheel Type	Alloy	Alloy	Alloy
Tyre Size	225/50 R18	235/45 R19	235/45 R19
Tyre Brand	Continental		
Drive Mode	ECO/ Normal/ Sport / Snow		


New Energy

AC Charging Port - Type 2	7kW	7kW	7kW
Portable Charging Cable (Mode 2)	•	•	•
DC Charging Port - CCS 2	110kW	150kW	150kW
V2L Function	•	•	•
V2L Discharge Adapter	•	•	•
Regenerative Braking	•	•	•

Comfort & Convenience

Keyless Entry & Start	•	•	•
NFC Card Key	•	•	•
Wireless Phone Charger x 2	•	•	•
12V Accessory Socket	•	•	•
PM2.5 Filtration System	•	•	•
Negative Ion Air Purifier	•	•	•
Automatic Dual-Zone Heat Pump Air Conditioner	•	•	•
Rear Central Air Vents	•	•	•
Tyre Repair Kit	•	•	•
Emergency Kit	•	•	•

Dimensions



Variant	Standard Range	Extended Range	AWD
	Dynamic	Premium	Performance

Safety and Security

Front Airbags - Driver & Front Passenger	•	•	•
Side Airbags - Driver & Front Passenger	•	•	•
Side Curtain Airbags - Front & Rear	•	•	•
Far-Side Airbags - Driver	•	•	•
Side Airbags - Rear	•	•	•
Pretensioner On Front Seat Belts	•	•	•
Pretensioner On Rear Seat Belts	•	•	•
Seat Belt Reminder - Front & Rear	•	•	•
360° Camera	•	•	•
Front Parking Sensor (2 zones)	•	•	•
Rear Parking Sensor (4 zones)	•	•	•
ISOFIX Child Restraint Anchorage Points	•	•	•
Electronic Child Lock	—	—	•
Mechanical Child Safety Lock	•	•	—
Intelligent Power Brake System	•	•	•
Electric Power Steering (DP-EPS)	•	•	•
Traction Control System (TCS)	•	•	•
Electronic Brake Force Distribution (EBD)	•	•	•
Hill Hold Control (HHC)	•	•	•
Auto-Hold	•	•	•
Anti-Lock Braking System (ABS)	•	•	•
Adaptive Cruise Control (ACC)	•	•	•
Automatic Emergency Braking (AEB)	•	•	•
Lane Departure Warning (LDW)	•	•	•
Lane Departure Prevention (LDP)	•	•	•
Emergency Lane Keeping Assist (ELKA)	•	•	•
Front Collision Warning (FCW)	•	•	•
Intelligent Cruise Control (ICC)	•	•	•
Traffic Sign Recognition (TSR)	•	•	•
Intelligent Speed Limit Information (ISLI)	•	•	•
Intelligent Speed Limit Control (ISLC)	•	•	•
Front Cross Traffic Alert (FCTA)	•	•	•
Front Cross Traffic Brake (FCTB)	•	•	•
Rear Cross Traffic Alert (RCTA)	•	•	•
Rear Cross Traffic Brake (RCTB)	•	•	•
Blind Spot Detection (BSD)	•	•	•
Door Open Warning (DOW)	•	•	•
High Beam Assist (HMA)	•	•	•
Driver Attention Warning (DAW)	•	•	•
Head Up Display (W-HUD)	—	•	•
Intelligence Torque Adaption Control (ITAC)	—	—	•
Front Warning Force-Limited Seat Belt	•	•	•
Front Dual Pretensioner Seat Belt	•	•	•
Rear Warning Force-Limited Seat Belt	•	•	•
Tyre Pressure Monitoring System (TPMS)	•	•	•
Hydraulic Brake Boost (HBB)	•	•	•
Hydraulic Brake Assist (HBA)	•	•	•
Electric Parking Brake System (EPB)	•	•	•
Electronic Stability Control (ESC)	•	•	•
Rear Collision Warning (RCW)	•	•	•
Front Vehicle Start Reminder	•	•	•

Interior

Seating Capacity	5	5	5
Steering Wheel Mounted Controls - Audio, Phone, Acc And 360° Camera	•	•	•
Synthetic Leather-Wrapped Steering Wheel	•	—	—
Genuine Leather-Wrapped Steering Wheel	—	•	•
LCD Instrumentation	10.25-inch		
Roof Glasses Case	•	•	•
Centre Console Storage Compartment	•	•	•
Synthetic Leather-Wrapped Seats	•	—	—
Genuine Leather-Wrapped Seats	—	•	•
Driver Seat 8-Way Power Adjustable	•	•	•
Driver Seat 4-Way Lumbar Power Adjustment	—	•	•
Passenger Seat 6-Way Power Adjustable	•	•	•
Ventilated Front Seats	•	•	•
Driver Seat With Position Memory	—	•	•
Courtesy Seating	—	•	•
Vice Dashboard With Dual Cup Holders	•	•	•
Front Height-adjustable Cap Holder	•	•	•
Rear Row Central Armrest (With Dual Cup Holders)	•	•	•
Automatic Anti-dazzle Interior Rear View Mirror	•	•	•
Metal Door Sill Protectors	•	•	•
Front Sunvisor With Vanity Mirror & Lighting	•	•	•
Auto-Dimming Interior Mirror	•	•	•
Electric Power Assisted Steering System	•	•	•

Variant	Standard Range	Extended Range	AWD
	Dynamic	Premium	Performance
Exterior			
Panoramic Glass Roof	•	•	•
Electric Sunshade	•	•	•
Electronic Hidden Door Handles	•	•	•
Electric Unlock Tailgate	•	•	•
Rear Windscreen Mount Antenna	•	•	•
One-Touch Open/Close Tailgate	•	•	•
Rain Sensing Wiper	•	•	•
Electrically Heated And Adjustable Exterior Mirrors	•	•	•
Electrically Retractable Exterior Mirrors	•	•	•
Door Mirror Auto-Tilt	—	•	•
Door Mirror Position Memory	—	•	•
Heating And Defrosting Exterior Mirrors	•	•	•
Exterior Mirror Footlights	•	•	•
Auto Windows With Anti-trap	•	•	•
Soundproof Glass		Windshield And Front Door	
Rear Windscreen With Electric Heating And Defrosting	•	•	•

Light			
LED Headlight	•	•	•
Manual Headlight Height Adjustment	•	•	•
Follow Me Home Headlight	•	•	•
Adaptive Front Light (AFL)	•	•	•
LED Daytime Running Light	•	•	•
LED Taillight	•	•	•
Rear Fog Light	•	•	•
Sequential Rear Indicators	•	•	•
LED Centre High Mount Stop Light	•	•	•
LED High Mount Brake Light	•	•	•
RGB Dynamic Mood Lights With Rhythm Function	•	•	•
LED Front Reading Light	•	•	•
LED Rear Side Reading Light	•	•	•
Front Footlights	•	•	•
Luggage Compartment Light	•	•	•

Interior Option



Thaumas Black

Multiple Body Appearance Options



Cosmos Black



Atlantis Grey



Aurora White



Shark Grey




Variant	Standard Range	Extended Range	AWD
	Dynamic	Premium	Performance
Entertainment			
FM Radio	•	•	•
*Bluetooth® Phone Connectivity And Audio Streaming	•	•	•
15.6 Inch Intelligent Rotating Touch Screen Display	•	•	•
Speakers	Dynaudio, 12 Speakers		
Voice Assistant - English	•	•	•
1 X USB-C & 1 X USB-A, Front	•	•	•
1 X USB-C & 1 X USB-A, Rear	•	•	•
Apple CarPlay® (Wireless) And Android Auto™ (Wireless)	•	•	•

Disclaimer of BYD SEAL Brochure

- The Product & Feature Images And Illustrations Shown In The Brochure Is For The Purpose Of Representation Only.
- Specifications and features shown in the brochure may not be of standard and may vary from the products supplied, BYD reserves the right to vary vehicle specifications and standard features from those detailed in this brochure.
- The driving range: NEDC (km) is as per the test report issued by IDIADA as per the test of New European Driving Cycle, as per ECE R101. The real range is influenced by many factors such as individual driving style, speed, outdoor temperature, load condition, traffic condition, etc.
- The charging time (DC, from 0% to 80%) in 45 minutes and the DC charging port - CCS 2 (110kW/150kW) are under the standard condition of the charging, which may vary by many factors such as the electricity load, charger specifications, outdoor temperatures, etc.
- The charging time (AC, from 0% to 100%) in 12-16 hours and AC Charging port - Type 2 (7kW) is under the standard condition of the charging, which may vary by many factors such as the electricity load, charger specifications, outdoor temperatures, etc.
- Bluetooth® is a registered trademark of Bluetooth SIG, Inc. Compatibility and functionality varies depending on device.
- Apple CarPlayR is a registered trade mark of Apple Inc. Requires compatible device, and wireless Apple CarPlayR is compatible with an active data plan, 5 GHz Wi-Fi support, and the latest version. Android Auto™ is a registered trade mark of Google Inc. Requires compatible device, and wireless Android Auto™ is compatible with an active data plan, 5 GHz Wi-Fi support, and the latest version.
- Colors depicted are a guide only and may vary from actual colors due to the printing restrictions, the colors shown in the brochure are subject to availability.
- BYD advanced drive assistant system is not a substitute for human eye and driver vigilance. It is a driver assist system that enhances driving experience and safety. The driver shall remain responsible for safe, vigilant and attentive driving. See owner's manuals for complete details.
- Battery standard: UN38.3 and ECE R100.
- The purpose of these pictures presented is only to show the safety features of BYD SEAL body and battery structure and does not represent the specific structure of any part of BYD vehicles disassembly program implemented by BYD in Sri Lanka. BYD Auto Industry Co., Ltd. provides & interprets descriptions of all BYD vehicles as per statutory norms.
- All vehicle information provided in this brochure are for reference only, actual product version is subject to change. BYD reserves the right to vary vehicle specifications and standard features from those detailed in this brochure. For the latest information on features, specifications, and other details, please contact the authorized BYD dealer in Sri Lanka before placing an order.



For more information follow

bydsrilanka   

BYD Colombo:
No. 447, Union Place, Colombo 02, Sri Lanka.

BYD Kandy:
No. 175, Katugasthota Road, Kandy, Sri Lanka.

BYD Galle:
Southern Expressway Entrance Road, Nugaduwa, Galle, Sri Lanka.



JKCG
AUTO
A JOHN KEELLS GROUP COMPANY

John Keells CG Auto (Pvt) Ltd
Authorized Distributor Of BYD Passenger Vehicles In Sri Lanka.
Website : www.johnkeellscgauto.com
Tel no: 0112 125 125